



MPSHANT
MACHINES PVT LTD



MPSHANT
MACHINES PVT LTD



© Plot No.: C1B/4405, Phase - IV, Near Indo German Tool Room,
Vatva, Ahmedabad - 382445, Gujarat, India.
☎ 079 4008 3693 🌐 www.mpslant.com

Manufacturer & Exporter of
Packaging Machineries



UNVEILING PRECISION, QUALITY AND COMPLIANCE

Your Gateway to Innovative
Pharmaceutical Packaging
Machineries. Elevate Your
Packaging Standards with Us



MPSHANT
MACHINES PVT LTD

ABOUT US

We are a leading manufacturer and exporter of pharmaceutical machinery and spares. Our wide range of products mention below has expanded in various industries like pharmaceuticals, food & beverages, cosmetic and lube & edible oil etc.

- » ISO certified manufacturing company.
- » In-house manufacturing set-up in about 12000 sq. feet area for the world class machinery
- » Some of the machines are CE certified.
- » Machines installed in 10+ countries including UK & USA.
- » Expert in customization of machines as per customers' requirement.
- » Plug & play machines to avoid dependency
- » Continuous working on 'no change parts' / 'very less change over time'.
- » Industries served : pharmaceuticals, chemicals, cosmetics, food, oil, pesticides etc.

the company has successfully catered to the specific requirement of food — beverages industry, chemical industry, pharmaceutical formulations, etc. rendering impeccable machines and prompt services, we have developed long term business associations with our valued clients. we always proceed in all our dealing with transparency and integrity, which has helped us to maintain a winning edge in the market. for our customer satisfaction, we work around the clock to understand the client's requirements and deliver results accordingly.

RANGE OF PRODUCT OFFERINGS

BOTTLE FILLING LINE (LIQUID/POWDER)

Servo base filling machine on special requirement of customer, used for high accuracy & efficiency with all auto Adjustment function. Entire line is consisting machine from washing to packing conveyor. (washing/air jet cleaning, filling, capping, sticker labelling, packing conveyor)

ONLINE LINEAR SCREW CAPPING MACHINE WITH ELEVATOR UNIT

Linear capping machine is our standard customize machine as per the requirement of customer. Main benefit of this machine is no change parts require for other size of bottle. Automatic rejection system can also be added to this machine, on customer demand which rejects all unqualified bottle including loose cap, no cap.

AUTOMATIC STICKER LABELLING MACHINE

In this category, we have product range which includes sticker labelling machine for round bottle, square bottle and double side labelling machine for flat type of bottles. As per the suitability of customer's product, we do have top side/bottom side sticker labelling machine also.

INHALER PACKING MACHINE

Lorem Ipsum is simply dummy text of the printing and typesetting industry. Lorem Ipsum has been the industry's standard dummy text ever since the 1500s, when an unknown printer took a galley of type and scrambled it to make a type specimen book. It has survived not only five centuries, but also the leap into electronic typesetting, remaining essentially unchanged. It was popularised in the 1960s with the release of Letraset sheets containing Lorem Ipsum passages, and more recently with desktop publishing

AUTOMATIC TABLET PACKING LINE

Entire line includes turn table, air jet cleaning machine for cleaning of bottles, tablet counting & filling machine, silica gel inserter, cotton inserter, online capping machine, re torque unit, labelling machine, printing, and packing conveyor.

MULTI HEAD WEIGHING FILLING MACHINE (10/14)

This machine is suitable for granule type product filling in jar and pouch. It is widely used for confectionery items. It is useful for candy packing, chocolate packing, wafer packing, etc.

MONO BLOCK FILLING & CAPPING MACHINE

Mono block filling & capping is a compact model for filling & capping in one machine only with less area consumption.

OUR INTERNATIONAL & DOMESTIC CLIENTS



OUR EXPORT COUNTRIES



PROCESSING EQUIPMENTS

MASS MIXER



MODEL : MPTMX

CAPACITY : 100 - 500 kg.
MOC : S.S.304 / S.S.316
POWER : 3 Phase

VIBRO SIFTER



MODEL : MPTVS

SIZE : 24", 30", 36", 48"
MOC : S.S.304 / S.S.316
POWER : 3 Phase

SEMI SEALING MACHINE



MODEL : MPTSCM - 30

OUTPUT : 10 to 30 BPM (Depend upon bottle & cap size)
BOTTLE SIZE : 10 ml. to 1000 ml.
POWER : 0.5 H.P.

SEMI WEIGHT FILLING MACHINE



MODEL : MPTSWF

OUTPUT : 5 - 20 Can
CAN SIZE : 1 Ltr. to 50 Ltr.
POWER : 0.5 HP

MULTI MILL



MODEL : MPTML

CAPACITY : 50 kg. to 500 kg.
MOC : S.S.304 / S.S.316
POWER : 3 HP

PROCESSING TANK



MODEL : MPTPT

CAPACITY : 100 Ltr. to 500 Ltr.
MOC : S.S.304 / S.S.316
POWER : 3 Phase

BOTTLE WASHING/CLEANING MACHINE

ROTARY BOTTLE WASHING MACHINE



MODEL : MPTRWM – 60

OUTPUT : 40 – 60BPM
BOTTLE SIZE : 100 ml. to 1 Ltr.
POWER : 1 HP/440Volt/3 Phase

ONLINE AIRJET & VACUUM CLEANING MACHINE



MODEL : MPTAVC – 80

OUTPUT : 20 to 80 (Depend upon bottle size)
BOTTLE SIZE : 30 ml. to 80 ml.
POWER : 3 Phase

SEMI LIQUID FILLING MACHINE



MODEL : MPTSF

OUTPUT : 20 Bottle / Minute Depend up on bottle & Fill Volume
CAN SIZE : 30 ml. to 500 ml.
POWER : 1 HP

HIGH SPEED LINEAR BOTTLE WASHING MACHINE



MODEL : MPTLWM – 180

OUTPUT : 120 – 180BPM
BOTTLE SIZE : 30 ml. to 200 ml.
POWER : 3 Phase

UNSCRABLER MACHINE



MODEL : MPTUS – 200

OUTPUT : 100 / 200
BOTTLE SIZE : Diameter 30 – 500 ml.
POWER : 2 HP

ROTARY UNSCRABLER MACHINE



MODEL : MPTRUM – 120

OUTPUT : 60 / 120
BOTTLE SIZE : Diameter 30 – 500 ml.
POWER : 2 HP


TURN TABLE MACHINE



MODEL : 24", 30", 36", 48"

AC DRIVE : Make Delta
DIMENSION : 3 Feet x 3 Feet
POWER : 0.5 Phase


AUTOMATIC SERVO BASE LIQUID FILLING MACHINE (2 TO 16 HEAD)



MODEL : MPTSLFM – 120

OUTPUT : 60 / 80 / 120 BPM
FILL VOLUME : 50 ml. to 500 ml.
POWER : 3 Phase, 440V

AUTOMATIC VOLUMETRIC LIQUID FILLING MACHINE (2/4/6/8 HEAD)



MODEL : MPTLFM – 80

OUTPUT : 20 / 40 / 60 / 80 BPM
FILL VOLUME : 30 ml. to 1000 ml.
POWER : 2.5 HP, 440 Volts, 3 Phase, 50 Hz.

CAP FEEDER ELEVATOR



MODEL : MPT – 80

OUTPUT : 20 to 80 (Depend Upon Cap Size)
POWER : Single Phase
LOADING CAPACITY : 1000 to 2000

CAP FEEDER ELEVATOR



MODEL : MPTCE – 150

OUTPUT : 20 to 150 (Depend Upon Cap Size)
POWER : Single Phase
LOADING CAPACITY : 2000 to 5000


HIGH VOLUME ACCURACY LINEAR FILLING MACHINE



MODEL : CPTFM – 60

OUTPUT : 40 – 60 BPM
BOTTLE SIZE : 10 ml. to 1000 ml.
POWER : 3 Phase

MONO BLOCK FILLING & CAPPING MACHINE



MODEL : 4 HEAD / 1 HEAD

OUTPUT : 20 to 40
FILL VOLUME : 30 ml. to 1000 ml.
POWER : 2.25 HP, 44 Volts, 3 Phase, 50 Hz.

BOTTLE FILLING MACHINE: (POWDER)


AUTOMATICS SINGLE HEAD AUGER
POWDER FILLING MACHINE



MODEL : MPTPFM

OUTPUT : 20 - 40 BPM
FILL VOLUME : 15 gm. to 100gm.
POWER : 2 HP


AUTOMATICS DOUBLE HEAD AUGER
POWDER FILLING MACHINE



MODEL : MPTSF

AC DRIVE : 40 to 80
DIMENSION : 15 gm. to 500 gm.
POWER : 3 HP

CREAM FILLING MACHINE



MODEL : MPTCFM

OUTPUT : 20 / 40 / 60 BPM
FILL VOLUME : 10 gm. to 500 gm.
POWER : 1 HP

SEMI AUTOMATIC TUBE FILLING /
SEALING MACHINE



MODEL : MPTTF - 30

OUTPUT : 20 to 30 per minute
FILL VOLUME : 10 gm. to 100 gm.
POWER : 220 volt, 2 HP

BOTTLE CAPPING MACHINE RANGE


ONLINE HIGH SPEED LINEAR SCREW
CAPPING MACHINE



MODEL : MPTLCM - 120

OUTPUT : 60 / 80 / 120 BPM
SUITABLE BOTTLE : Pet, HDPE Bottle (Round, Square, Flat)
POWER : 1 Phase, 220 - 230V

LINEAR TYPE INNER PLUG & SCREW
CAPPING MACHINE



MODEL : MPTLFM - 80

OUTPUT : 10 ml. to 1000ml.
FILL VOLUME : Round, Square, Off Center Bottle
POWER : 3 Phase

AUTOMATIC PICK / PLACE CAPPING
MACHINE (4/6/8)



MODEL : CPTPPC - 80/120

OUTPUT : 80 to 120 BPM (Depend upon bottle & Cap Size)
BOTTLE SIZE : 30 ml. to 1000 ml.
POWER : 1.5 HP, 1 Phase

AUTOMATIC ROTARY TYPE ROPP
CAPPING MACHINE (4/6/8 Head)



MODEL : MPTRCM - 60

OUTPUT : 40 - 60 BPM
SIZE : 30 ml. to 500 ml.
POWER : 1 Phase, 220-230V

BOTTLE CAPPING MACHINE RANGE

JAR CAPPING MACHINE WITH ELEVATOR




MODEL : MPTLC – 80

OUTPUT : 40 to 80 (Depending Upon Bottle Size and Cap Size)

BOTTLE SIZE : 100 Gm. to 1 kg. / 1 kg. to 5 kg.

POWER : Single phase 2 HP 230 Volts.

ONLINE SCREW CAPPING MACHINE WITH VIBRATOR BOWL



MODEL : MPTLCM

AC DRIVE : 40/60/ 80 BPM

BOTTLE DIAMTR : 40 mm to 80 mm (up to 150 mm in special case)

POWER : 220 – 230V, 2 H.P

AUTOMATIC SINGLE HEAD SCREW CAPPING MACHINE



MODEL : MPTSC – 50

OUTPUT : 30 to 50 BPM Depend upon bottle & Cap Size

BOTTLE SIZE : 30 ml. to 1000 ml.

POWER : 1 HP, 1 Phase

AUTOMATIC SINGLE HEAD JAR CAPPING MACHINE



MODEL : MPTSC – 50

OUTPUT : 30 to 50 BPM Depend upon bottle & Cap Size

BOTTLE SIZE : 30 ml. to 1000 ml.

POWER : 1 HP, 1 Phase

INNER & OUTER COMBO CAPPING MACHINE



MODEL : MPTIO – 60

OUTPUT : 20 to 50 (Depending Upon Bottle Size & Inner Cap Size)

BOTTLE SIZE : 100 ml. to 1 Ltr.

POWER : Single Phase

INNER PLUG INSERTER MACHINE



MODEL : MPTIPI – 60


BOTTLE DIA. : 20 mm. to 60 mm.

OUTPUT : 30 to 40 (Depend upon bottle size)

POWER : 230 Volts, 1 Phase, 3 Wire System, 50 hz.

STICKER LABELING MACHINE RANGE

AUTOMATIC ROUND BOTTLE
STICKER LABELING MACHINE



MODEL : MPTRLM – 120

OUTPUT : 40 / 60 / 80 / 120 BPM

BOTTLE SIZE : 20 mm. to 350 mm.(L) 10 mm. to 80 mm.(W)

POWER : 1 HP, 220 Volts

AUTOMATICS DOUBLE SIDE
STICKER LABELING MACHINE



MODEL : MPTDSLM – 80

AC DRIVE : 60 / 80 /120 BPM

BOTTLE SIZE : (L) 20 mm. to 350mm. (W) 10 mm. to 80 mm.

POWER : 1 Phase, 2HP

AUTOMATIC TABLET
COUNTING & FILLING MACHINE



MODEL : MPTTC – 60

OUTPUT : 700 Pc. (Depend on Tablet Shape / Size)

POWER : 1 Phase

DIMENSION : 1000 mm. (L) x 650 mm. (W) x 1100 mm. (H)

SEMI AUTOMATIC TABLET
COUNTING MACHINE



MODEL : MPTDTCM – 30

OUTPUT : 20 – 30 BPM

TABLET PER BOTTLE : Round, Square, Off Center Bottle

POWER : 1 Phase, 220-230V

AUTOMATIC SQUARE BOTTLE &
POSITIONING TYPE LABELING MACHINE



MODEL : MPTSL – 60

BOTTLE SIZE : 10 ml to 1000 ml

POWER : 1 Phase

AUTOMATIC HORIZONTAL
STICKER LABELING MACHINE



MODEL : MPTHSL – 120

OUTPUT : 40 / 60 / 80 / 120 BPM

BOTTLE SIZE : 20 mm. to 350 mm.(L) 10 mm. to 80 mm.(W)

POWER : 1 HP, 220 Volts

DISC TYPE TABLET COUNTING
MACHINE




MODEL : MPTDTCM – 30

OUTPUT : 20 – 30 BPM

TABLET PER BOTTLE : Round, Square, Off Center Bottle

POWER : 1 Phase, 220-230V

AUTOMATIC SILICA GEL POUCH /
CANISTER INSERTER MACHINE



MODEL : MPTSI – 60 / 120

OUTPUT : 20 to 60

BOTTLE DIA. : 30 mm. to 100 mm. (H) 40 mm. to 200 mm.

POWER : 1 HP

STICKER LABELING MACHINE RANGE

COTTON INSERTER MACHINE



MODEL : MPTCI - 60 / 120
OUTPUT : 20 to 60
BOTTLE DIA. : 30 mm. to 100 mm (H) 40 mm. to 200 mm.
POWER : 2 HP 3 Phase

INDUCTION CAP SEALING MACHINE



MODEL : MPTIC - 40 / 60
OUTPUT : 20 to 60
INPUT : 230 + 10% V AC, 5 Amps. Single Phase
CAP SIZE : 25 mm. - 80 mm.
POWER : 0.75 HP

CURVE CONVEYOR



MODEL : MPTTC - 60
HEIGHT : 20 to 60
POWER : 0.5 HP Motor

POUCH PACKING MACHINE




MODEL : MPTPPM
OUTPUT : 40 to 100 PPM
FILL SIZE : 10 Gram to 500 Gram

INSPECTION TABLE




MODEL : 4 x 6 Seater
DIMENSION : 1800 mm. (L) x 900 mm. (W) x 1500 mm. (H)
POWER : 1 Phase, 220-230V

PACKING CONVEYOR



MODEL : MPTPC
(As Per Client Demand)
HEIGHT : 740 to 840 mm. (Adjustable)
POWER : Depend Upon Model

INHALER PACKING MACHINE



MODEL : MPTINPM
OUTPUT : 60 / 120 IPM
POWER : 1 PHASE - 1.5 H.P


STICKER LABELING MACHINE RANGE

SHRINK TUNNED




MODEL : MPTST	
PACKING SIZE : 2850 mm. (L) x 1050 mm. (W) x 1830 mm. (H)	MACHINE SIZE : 2800 mm. (L) x 1000 mm. (W) x 1680 mm. (H)
PACKING SPEED : 4000 – 6000 Pcs. / Hour	POWER : 440 Volts, 3 Phase, 50 Hz.
TUNNEL SIZE : 1800 mm. (L) x 600 mm. (W) x 400 mm. (H)	

MONOBLOCK POCKET PERFUME FILLING, PUMP PRESSING & STICKER LABELING MACHINE




MODEL	: MPTMPFCLM
OUTPUT	: 20 to 30 BPM
BOTTLE DIA.	: 10 ml. to 50 ml.
POWER	: 1 PHASE

EFFERVESCENT AUTOMATIC TABLET FILLING, CAPPING & STICKER LABELING MACHINE



MODEL	: MPTTFCLM
OUTPUT	: 20 / 30 / 60 TPM
TABLET FILL VOLUME IN TUBE	: 10 to 30 tablets
POWER	: 220 – 230V, 1 Phase

MULTI HEAD WEIGHER FILLING MACHINE



MODEL	: MPTWF – 14 HEAD	MODEL	: MPTWF – 10 HEAD
WEIGHING RANGE	: 10 – 1500 g.	WEIGHING RANGE	: 10 – 1000 g.
ACCURACY	: x (0.5)	ACCURACY	: x (0.5)
CONTROL PANNEL	: 7" Touch Screen	CONTROL PANNEL	: 7" Touch Screen
POWER	: 220 Volt 1000 W 50/60 Hz	POWER	: 220 Volt 1000 W 50/60 Hz